



# Aegis LIC-SLM

LARGE MESSAGE INDICATOR BORED LOCK



## **The TownSteel Promise**

We have built our company around the promise of creating durable hardware solutions for your projects. Our complete product line is the result of decades of determined engineering. This allows TownSteel to provide you with the right product to meet your exacting specifications. With end-to-end customer support, you will find that TownSteel is the ideal company for you to partner with. Check us out at [townsteel.com](http://townsteel.com) for more information!

The Aegis Bored Lock features a heavy-duty stainless-steel escutcheon with a large message indicator on both sides of the lock. This important feature is critically important when safety is compromised. Occupants inside the room or personnel in the hallway can identify the lock's status in an instant!

# Aegis LIC-SLM



CONTENTS	PAGE
Features	4
Specifications	5
Finishes	6
Lock Profile	7
Dimensions	8
Levers	9
Cylinders	10
Strikes	10
Functions	12
How to Order	13

# Features

The Aegis Bored Lock is well suited for either new construction or retrofit projects, but it really shines in a retrofit application. It has been designed to perfectly fit into existing cylindrical lock preps making this security upgrade fast and easy. Any minor modifications can easily be done in the field without voiding warranty or fire-label.



Features	Benefits
<b>ANSI / BHMA A156.2</b>	Constructed to meet Grade 1 certification
<b>UL10C</b>	Certified UL10(C) 3-hour fire rating
<b>ADA compliant</b>	Meets requirements of the Americans with Disabilities Act
<b>Fast and easy upgrade</b>	Designed to perfectly fit into existing cylindrical 161 door preps, making installation fast and easy.
<b>High visibility status indicator</b>	Large message indicator on both sides of the opening allows occupants or personnel in the hallway to identify a lock's status in an instant
<b>Indicator labels</b>	Indicator labels available: OCCUPIED / VACANT, LOCKED / UNLOCKED*
<b>Heavy duty stainless steel trim</b>	Cast and machined trim provides a barrier to most adverse conditions
<b>Cylinder configurations</b>	Available with a cylinder on the outside and a thumb turn on the inside or in a double cylinder configuration

\*For other message options please consult factory

# Specifications


---

<b>Backsets</b>	2-3/4", standard 2-3/8", optional
<b>Door Thickness</b>	1-3/4", standard *Others available upon request
<b>Door Prep</b>	Standard 161 prep with through holes
<b>Handing</b>	LH / RH *LH to LHR and RH to RHR are field adjusted
<b>Lockbody</b>	Rigid
<b>Latch Bolt</b>	Stainless Steel, Anti-Pick, 1/2" projection
<b>Cylinder</b>	Schlage® "C" keyway, standard For other cylinder options, see Cylinders on page 9
<b>Faceplate</b>	Stainless Steel, 1-1/8" wide, standard Stainless Steel, 1" wide, optional
<b>Escutcheon</b>	Stainless Steel, 10-3/16" x 3-5/32" x 5/8"
<b>Strike</b>	T-strike, 1-1/8" x 2-3/4", standard ASA Strike, 1-1/4" x 4-7/8", optional
<b>Mounting Screws</b>	Security TORX® screws
<b>Keying</b>	KD standard; KA, MK, GMK, GGMK, and Construction keys are also available upon request.

---


# Finishes

---



**Satin Stainless Steel**

(630)




**Flat Black**

(622)

Other finishes available upon request


Finishes are for representation only

# Lock Profile



F84 (Classroom) function shown

# Dimensions




Single Cylinder with Thumb turn Shown




# Levers



**Sentinel**  
(S)



**Quest**  
(Q)



# Cylinders


<b>SC</b>	6-pin with Schlage® "C" keyway, standard
<b>SFIC6</b>	6-pin IC core with Best® "A" keyway
<b>SFIC7</b>	7-pin IC core with Best® "A" keyway
<b>CLFIC</b>	Corbin® large format IC, less core
<b>SLFIC</b>	Schlage large format IC, less core
<b>HS6</b>	High security 6-pin IC core with TownSteel "L" keyway
<b>HS7</b>	High security 7-pin IC core with TownSteel "L" keyway
<b>LC</b>	Less Cylinder*

KIK cylinder available with TS cylinder housing adapter, please consult factory.

\*If using your own cylinder, please consult factory.


# Strikes

## ASA Strike











# Strikes

## T Strike



# Functions

Out	In	Series / Function	Type	ANSI No.	Description
		SLM-76	Privacy	F76	Latch bolt operated by lever from either side, except when outside lever is made inoperable by turn on inside. this also changes status indicator. Outside lever is unlocked by rotating inside turn, rotating lever, or emergency release on outside. This also changes the status indicator. Inside lever is always operable.
		SLM-84	Classroom	F84	Latch bolt operated by lever from either side, except when outside lever is locked by turn inside or key outside, this also changes status indicator. when outside lever is locked latch bolt can be retracted by lever inside, outside lever remains locked.
		SLM-110	Classroom intruder	F110	Latch bolt operated by lever from either side, except when outside lever is locked by key inside or outside, this also changes the status indicator. When outside lever is locked latch bolt can be retracted by lever inside, outside lever remains locked.
		SLM-115	Faculty Privacy	N/A	Latch bolt can be operated by lever from inside or turning key from outside. Inside turn makes outside key inoperable and changes status indicator. Operating inside lever, closing door or operating outside emergency release unlocks outside key cylinder and changes status indicator.

# How to Order

## Aegis LIC-SLM Bored Lock

### Trim

SLM	Bored Large Message
-----	---------------------

### Function

See Functions on page 12

### Message

O	Vacant / Occupied
L	Locked / Unlocked

### Lever

S	Sentinel
Q	Quest

### Handing

LH	Left Hand
RH	Right Hand

### Finish

630	Stainless Steel
622	Flat Black

### Cylinder

See Cylinders on page 11

Pick one item from each category when ordering.

**Example order: SLM-84-L-S-RH-630-SC**



17901 Railroad Street  
City of Industry, CA  
91748

877-858-0888  
info@townsteel.com

[townsteel.com](http://townsteel.com)